According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

# VOLVO I-Shift Transmission Fluid 75W-90

Version	Revision Date:	SDS Number:	Print Date: 05/21/2020
1.0	05/20/2020	800010039294	Date of last issue: -

#### **SECTION 1. IDENTIFICATION**

Product name : VOLVO I-Shift Transmission Fluid 75W-90

Product code : 001I5123

#### Manufacturer or supplier's details

Manufacturer/Supplier	: Shell Oil Products US PO Box 4427 Houston TX 77210-4427 USA
SDS Request Customer Service	: (+1) 877-276-7285
	•

#### Emergency telephone number

Spill Information	:	877-504-9351
Health Information	:	877-242-7400

# Recommended use of the chemical and restrictions on use

Recommended use : Transmission oil.

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with 29 CFR 1910.1200

Based on available data this substance / mixture does not meet the classification criteria.

GHS label elements Hazard pictograms :	No Hazard Symbol required
Signal word	No signal word
Hazard statements	PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria. HEALTH HAZARDS: Not classified as a health hazard under GHS criteria. ENVIRONMENTAL HAZARDS: Not classified as an environmental hazard under GHS criteria.
Precautionary statements	Prevention: No precautionary phrases.
	Response: No precautionary phrases.
	Storage: No precautionary phrases.
	Disposal:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

# VOLVO I-Shift Transmission Fluid 75W-90

Version	Revision Date:	SDS Number:
1.0	05/20/2020	800010039294

Print Date: 05/21/2020 Date of last issue: -

No precautionary phrases.

#### Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

Not classified as flammable but will burn.

The classification of this material is based on OSHA HCS 2012 criteria.

Under normal conditions of use or in a foreseeable emergency, this product does not meet the definition of a hazardous chemical when evaluated according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
Chemical nature	:	Mixture Synthetic base oil and additives. Highly refined mineral oil. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346. The highly refined mineral oil is only present as additive dilu- ent.

#### Hazardous components

Chemical name	Synonyms	CAS-No.	Concentration (% w/w)
Alkaryl amine	bis(nonylphenyl )amine	36878-20-3	1-3
Heterocyclic ether	Thiophene, tetrahydro-, 1,1-dioxide, 3- (C9-11- isoalkyloxy) derivs., C10- rich	398141-87-2	1 - 1.4
Amine phosphate	Amines, C12- 14-alkyl, reac- tion products with hexanol, phosphorus oxide (P2O5), phosphorus sulfide (P2S5) and propylene oxide	91745-46-9	0.75 - 1.05

#### **SECTION 4. FIRST-AID MEASURES**

If inhaled: No treatment necessary under normal conditions of use.<br/>If symptoms persist, obtain medical advice.In case of skin contact: Remove contaminated clothing. Flush exposed area with wa-

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

# VOLVO I-Shift Transmission Fluid 75W-90

Version 1.0	Revision Date: 05/20/2020		DS Number: 0010039294	Print Date: 05/21/2020 Date of last issue: -
				washing with soap if available. ion occurs, obtain medical attention.
In ca	se of eye contact	:	Remove contact I rinsing.	pious quantities of water. enses, if present and easy to do. Continue ion occurs, obtain medical attention.
lf sw	If swallowed		In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.	
and	Most important symptoms and effects, both acute and delayed		of black pustules	s signs and symptoms may include formation and spots on the skin of exposed areas. sult in nausea, vomiting and/or diarrhoea.
Prote	ection of first-aiders	:		ng first aid, ensure that you are wearing the nal protective equipment according to the d surroundings.
medi	ation of any immediate cal attention and special ment needed	:	Treat symptomati	cally.

#### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon diox- ide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
Specific hazards during fire- fighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-	:	Avoid contact with skin and eyes.
tive equipment and emer-		

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

# VOLVO I-Shift Transmission Fluid 75W-90

Versi 1.0	ion	Revision Date: 05/20/2020		9S Number: 0010039294	Print Date: 05/21/2020 Date of last issue: -			
9	gency p	procedures						
Environmental precautions		:	Use appropriate containment to avoid environmental contami- nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.					
				Local authorities s cannot be contain	should be advised if significant spillages ed.			
		s and materials for ment and cleaning up	:	Prevent from spre or other containm Reclaim liquid dire Soak up residue v	It. Avoid accidents, clean up immediately. eading by making a barrier with sand, earth ent material. ectly or in an absorbent. with an absorbent such as clay, sand or other and dispose of properly.			
,	Additior	nal advice	:	see Section 8 of t	selection of personal protective equipment his Safety Data Sheet. disposal of spilled material see Section 13 of Sheet.			

#### SECTION 7. HANDLING AND STORAGE

Technical measures	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.
Avoidance of contact	:	Strong oxidising agents.
Product Transfer	:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
Further information on stor- age stability	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.
		Store at ambient temperature.
Packaging material	:	Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

# VOLVO I-Shift Transmission Fluid 75W-90

Version	Revision Date:	SDS Number:	Print Date: 05/21/2020
1.0	05/20/2020	800010039294	Date of last issue: -

Container Advice

: Polyethylene containers should not be exposed to high temperatures because of possible risk of distortion.

#### SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1
Oil mist, mineral		TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH

#### **Biological occupational exposure limits**

No biological limit allocated.

#### **Monitoring Methods**

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering measures

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information: Define procedures for safe handling and maintenance of controls. Educate and train workers in the hazards and control

measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

# VOLVO I-Shift Transmission Fluid 75W-90

Version 1.0	Revision Date: 05/20/2020	SDS Number: 800010039294	Print Date: 05/21/2020 Date of last issue: -
		equipment, loc Drain down sy nance. Retain drain d subsequent re Always observ washing hand drinking, and/o protective equ taminated clot	ed to control exposure, e.g. personal protective cal exhaust ventilation. Instem prior to equipment break-in or mainte- owns in sealed storage pending disposal or cycle. We good personal hygiene measures, such as a fter handling the material and before eating, or smoking. Routinely wash work clothing and ipment to remove contaminants. Discard con- hing and footwear that cannot be cleaned. housekeeping.
Perso	onal protective equip	ment	
	iratory protection	: No respiratory conditions of u In accordance tions should by If engineering tions to a level select respirat cific conditions Check with res Where air-filte priate combina Select a filter s	with good industrial hygiene practices, precau- e taken to avoid breathing of material. controls do not maintain airborne concentra- l which is adequate to protect worker health, ory protection equipment suitable for the spe- s of use and meeting relevant legislation. spiratory protective equipment suppliers. ring respirators are suitable, select an appro- ation of mask and filter. suitable for the combination of organic gases nd particles [Type A/Type P boiling point
	protection emarks	gloves approv US: F739) ma suitable chem gloves Suitabi usage, e.g. fre sistance of glo glove suppliers Personal hygie Gloves must of gloves, hands cation of a nor For continuous through time of 480 minutes w short-term/spla recognize that may not be av time maybe ac and replaceme a good predict	ontact with the product may occur the use of ed to relevant standards (e.g. Europe: EN374, de from the following materials may provide ical protection. PVC, neoprene or nitrile rubber lity and durability of a glove is dependent on equency and duration of contact, chemical re- ove material, dexterity. Always seek advice from s. Contaminated gloves should be replaced. ene is a key element of effective hand care. only be worn on clean hands. After using should be washed and dried thoroughly. Appli- n-perfumed moisturizer is recommended. s contact we recommend gloves with break- of more than 240 minutes with preference for > where suitable gloves can be identified. For ash protection we recommend the same but suitable gloves offering this level of protection ailable and in this case a lower breakthrough cceptable so long as appropriate maintenance ent regimes are followed. Glove thickness is not for of glove resistance to a chemical as it is the exact composition of the glove material.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

# VOLVO I-Shift Transmission Fluid 75W-90

Vers 1.0	sion	Revision Date: 05/20/2020		S Number: 0010039294	Print Date: 05/21/2020 Date of last issue: -
				depending on the	glove make and model.
	Eye pro	otection	:		lled such that it could be splashed into eyes, ar is recommended.
	Skin an	nd body protection	:	work clothes.	not ordinarily required beyond standard to wear chemical resistant gloves.
	Protect	ive measures	:		ve equipment (PPE) should meet recom- standards. Check with PPE suppliers.
	Therma	al hazards	:	Not applicable	
	Enviro	nmental exposure co	ntro	ls	
	Genera	Il advice	:	vant environment of the environment necessary, prever charged to waste municipal or indus discharge to surfa Local guidelines of	measures to fulfill the requirements of rele- al protection legislation. Avoid contamination at by following advice given in Section 6. If at undissolved material from being dis- water. Waste water should be treated in a strial waste water treatment plant before ace water. on emission limits for volatile substances I for the discharge of exhaust air containing
SEC	TION 9	. PHYSICAL AND CH	EMI		6
	Appear	ance	:	Liquid at room te	mperature.
	Colour		:	amber	
	Odour		:	Slight hydrocarbo	on
	Odour <sup>-</sup>	Threshold	:	Data not availabl	e
	рН		:	Not applicable	
	pour po	pint	:	<= -48 °C / <= -5 Method: ISO 301	
	Initial b range	oiling point and boiling	:	> 280 °C / 536 °F estimated value(	
	Flash p	oint	:	245 °C / 473 °F	
				Method: ISO 259	2
	Evapor	ation rate	:	Data not availabl	e
	Flamma	ability (solid, gas)	:	Data not availabl	e

Upper explosion limit / upper : Typical 10 %(V)

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

# VOLVO I-Shift Transmission Fluid 75W-90

Vers 1.0	ion	Revision Date: 05/20/2020		S Number: 0010039294	Print Date: 05/21/2020 Date of last issue: -
	flamma	bility limit			
		explosion limit / Lower bility limit	:	Typical 1 %(V)	
	Vapour	pressure	:	< 0.5 Pa (20 °C /	68 °F)
				estimated value(	5)
	Relative	e vapour density	:	> 1 estimated value(s)	5)
	Density		:	849 kg/m3 (15.0 Method: ISO 121	
	Solubilit Wate	ty(ies) er solubility	:	negligible	
	Solu	bility in other solvents	:	Data not availabl	e
	Partitior octanol/	n coefficient: n- /water	:	log Pow: > 6 (based on inform	ation on similar products)
	Auto-igr	nition temperature	:	> 320 °C / 608 °F	
	Decom	position temperature	:	Data not availabl	e
	Viscosit Visc	y osity, dynamic	:	Data not availabl	e
	Visc	osity, kinematic	:	56 mm2/s (40.0 °	°C / 104.0 °F)
				Method: ISO 310	4
				9.3 - 10.0 mm2/s	(100 °C / 212 °F)
				Method: ISO 310	4
	Explosiv	ve properties	:	Not classified	
	Oxidizir	ng properties	:	Data not availabl	e
	Conduc	tivity	:	This material is n	ot expected to be a static accumulator.

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.
Chemical stability	:	Stable.
Possibility of hazardous reac- tions	:	Reacts with strong oxidising agents.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

# VOLVO I-Shift Transmission Fluid 75W-90

Version 1.0	Revision Date: 05/20/2020	SDS Number: 800010039294	Print Date: 05/21/2020 Date of last issue: -
Incom	tions to avoid patible materials dous decomposition cts	: Strong oxidising	nperature and direct sunlight. g agents. ion if stored and applied as directed.
SECTION	11. TOXICOLOGICAL	INFORMATION	

# Basis for assessment : Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).

#### Information on likely routes of exposure

Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

#### Acute toxicity

Product:	
Acute oral toxicity	<ul> <li>LD50 (rat): &gt; 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.</li> </ul>
Acute inhalation toxicity	: Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	<ul> <li>LD50 (Rabbit): &gt; 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.</li> </ul>

#### Skin corrosion/irritation

#### Product:

Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

#### Serious eye damage/eye irritation

#### Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

#### Components:

#### Amine phosphate:

Remarks: Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

#### Product:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

# VOLVO I-Shift Transmission Fluid 75W-90

Version	Revision Date:	
1.0	05/20/2020	

SDS Number: 800010039294 Print Date: 05/21/2020 Date of last issue: -

#### Remarks: Not a skin sensitiser.

Based on available data, the classification criteria are not met.

#### Components:

#### Amine phosphate:

Remarks: Experimental data has shown that the concentration of potentially sensitising components present in this product does not induce skin sensitisation. May cause an allergic skin reaction in sensitive individuals.

#### Germ cell mutagenicity

#### Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

#### Carcinogenicity

#### Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### **Reproductive toxicity**

#### Product:

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

#### STOT - single exposure

#### Product:

Remarks: Based on available data, the classification criteria are not met.

1

#### STOT - repeated exposure

#### Product:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

# VOLVO I-Shift Transmission Fluid 75W-90

Version	Revision Date:
1.0	05/20/2020

SDS Number: 800010039294 Print Date: 05/21/2020 Date of last issue: -

Remarks: Based on available data, the classification criteria are not met.

#### Aspiration toxicity

#### Product:

Not an aspiration hazard.

#### Further information

#### Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Slightly irritating to respiratory system.

#### **SECTION 12. ECOLOGICAL INFORMATION**

Basis for assessment	:	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representa- tive of the product as a whole, rather than for individual com- ponent(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
Ecotoxicity		
Product: Toxicity to fish (Acute toxici- ty)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to daphnia and other aquatic invertebrates (Acute toxicity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to algae (Acute tox- icity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to fish (Chronic tox- icity)	:	Remarks: Data not available
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	Remarks: Data not available

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

# VOLVO I-Shift Transmission Fluid 75W-90

Vers 1.0	sion	Revision Date: 05/20/2020		DS Number: 00010039294	Print Date: 05/21/2020 Date of last issue: -				
	Toxicity to microorganisms (Acute toxicity)		:	Remarks: Data not available					
	Persis	Persistence and degradability							
	<u>Product:</u> Biodegradability		:	Remarks: Not readily biodegradable. Major constituents are inherently biodegradable, but conta components that may persist in the environment.					
	Bioac	cumulative potential							
	<u>Produ</u> Bioaco	<u>ct:</u> cumulation	:	Remarks: Contai cumulate.	ns components with the potential to bioac-				
	Mobili	ty in soil							
	<u>Product:</u> Mobility			Pomarks: Liquid	under most environmental conditions.				
	WODIII	у	•		will adsorb to soil particles and will not be				
				Remarks: Floats	on water.				
	Other	adverse effects							
	<u>Produ</u>								
	Additic matior	onal ecological infor-	:	ozone creation p Product is a mixt	zone depletion potential, photochemical otential or global warming potential. ure of non-volatile components, which will not r in any significant quantities under normal				
				Poorly soluble m Causes physical	ixture. fouling of aquatic organisms.				

#### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Recover or recycle if possible.</li> <li>It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations.</li> <li>Do not dispose into the environment, in drains or in water courses</li> </ul>
	Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

# VOLVO I-Shift Transmission Fluid 75W-90

Version 1.0	Revision Date: 05/20/2020	SDS Nu 8000100		Print Date: 05/21/2020 Date of last issue: -
Conta	minated packaging	: Dispo to a t the c Dispo	ose in accord recognized co collector or co osal should b	sed product is dangerous waste. dance with prevailing regulations, preferably ollector or contractor. The competence of ontractor should be established beforehand. be in accordance with applicable regional, I laws and regulations.
<b>Local</b> Rema	<b>legislation</b> rks			e in accordance with applicable regional, I laws and regulations.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **National Regulations**

#### US Department of Transportation Classification (49 CFR Parts 171-180)

Not regulated as a dangerous good

#### International Regulations

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

#### Special precautions for user

Remarks

: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

#### **SECTION 15. REGULATORY INFORMATION**

#### EPCRA - Emergency Planning and Community Right-to-Know Act

\*: This material does not contain any components with a CERCLA RQ., Shell classifies this material as an "oil" under the CERCLA Petroleum Exclusion, therefore releases to the environment are not reportable under CERCLA., The components with RQs are given for information.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## VOLVO I-Shift Transmission Fluid 75W-90

Version	Revision Date:	SDS Number:	Print Date: 05/21/2020
1.0	05/20/2020	800010039294	Date of last issue: -

SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **Clean Water Act**

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

#### **US State Regulations**

#### Pennsylvania Right To Know

Distillates (petroleum), hydrotreated light

64742-47-8

#### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

#### The components of this product are reported in the following inventories:

EINECS	:	All components listed or polymer exempt.
TSCA	:	All components listed.
DSL	:	All components listed.

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

NFPA Rating (Health, Fire, Reac- 0, 1, 0 tivity)

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-
		its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
Abbreviations and Acronyms	:	The standard abbreviations and acronyms used in this docu- ment can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.
		ACGIH = American Conference of Governmental Industrial Hygienists ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road AICS = Australian Inventory of Chemical Substances ASTM = American Society for Testing and Materials

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

# VOLVO I-Shift Transmission Fluid 75W-90

VersionRevision Date:SDS Number:Print Date: 05/21/20201.005/20/2020800010039294Date of last issue: -	
BEL = Biological exposure limits         BTEX = Benzene, Toluene, Ethylbenzene         CAS = Chemical Abstracts Service         CEFIC = European Chemical Industry Cot         CLP = Classification Packaging and Label         COC = Cleveland Open-Cup         DIN = Deutsches Institut fur Normung         DMEL = Derived Minimal Effect Level         DNEL = Derived No Effect Level         DNEL = Canada Domestic Substance List         EC = European Conterision         EC50 = Effective Concentration fifty         EC50 = Effective Concentration fifty         EC60 = Chemicals         BOLL = Substances         EL50 = Effective Loading fifty         ENCS = Japanese Existing and New Cheel         Inventory         EWC = European Waste Code         GHS = Globally Harmonised System of Cl         Labelling of Chemicals         IARC = International Agency for Research         IATA = International Air Transport Associa         IC50 = Inhibitory Concentration fifty         LI50 = Inhibitory Level fifty         IMDG = International Maritime Dangerous         INV = Chinese Chemicals Inventory         IP346 = Institute of Petroleum test mether         determination of polycyclic aromatics DMK         KEC = Korea Existing Chemicals Inventory	uncil lling ology and Toxicolo- sting Commercial mical Substances lassification and on Cancer ation Goods od N° 346 for the SO-extractables ry ng/Inhibitory loading ne Prevention of entration / No Ob- Production Volume oxic s and Chemical n thorisation Of al Carriage of Dan-

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

# VOLVO I-Shift Transmission Fluid 75W-90

Version	Revision Date:	SDS Number:	Print Date: 05/21/2020
1.0	05/20/2020	800010039294	Date of last issue: -

A vertical bar () in the left margin indicates an amendment from the previous version.

Sources of key data used to compile the Safety Data Sheet	:	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).
Revision Date	:	05/20/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN